



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

# Runtz

Sample ID: 2404EXL1022.4517  
Strain: Runtz  
Matrix: Plant  
Type: Flower - Cured  
Sample Size: ; Batch:

Produced:  
Collected: 04/17/2024  
Received: 04/17/2024  
Completed: 04/18/2024  
Batch#: 20240417-RL-RTZ

Client  
**HSP**  
Lic. #  
1835 NEWPORT BLVD  
COSTA MESA, CA 92627



## Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	04/18/2024	Complete
Moisture	04/18/2024	14.2% - Complete

## Cannabinoids

Complete

<b>30.766%</b> Total THC	<b>3.915%</b> Total CBD	<b>36.096%</b> Total Cannabinoids
-----------------------------	----------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
CBC	0.125	0.250	ND	ND
CBD	0.125	0.250	2.2329	22.329
CBDa	0.125	0.250	1.9185	19.185
CBDV	0.125	1.000	ND	ND
CBDVa	0.257	0.780	ND	ND
CBG	0.125	0.500	1.4144	14.144
CBGa	0.125	0.250	ND	ND
CBN	0.125	0.250	ND	ND
Δ8-THC	0.125	0.500	ND	ND
Δ9-THC	0.125	0.500	0.2793	2.793
THCa	0.250	0.500	34.7625	347.625
THCV	0.250	0.500	ND	ND
<b>Total THC</b>			<b>30.766</b>	<b>307.661</b>
<b>Total CBD</b>			<b>3.915</b>	<b>39.154</b>
<b>Total CBG</b>			<b>1.414</b>	<b>14.144</b>
<b>Total</b>			<b>36.096</b>	<b>360.959</b>

Date Tested: 04/18/2024

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.  
Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, CAN-SOP-001

Water Activity: Water Activity Meter, WA-SOP-001

Moisture Content: Moisture Analyzer, MO-SOP-001

Foreign Matter: Visual Inspection, FM-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
04/18/2024

Bryan Zahakaylo  
Analyst  
04/18/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.